

														Repo		orting Periods		
Indicator Reference Number	Domain	Theme	Measure	Rationale	Name of Indicator / Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Guidance	Notes	Q1	Q2	Q3	Q4	
CIRRO1	Domain 1: Preventing people from dying prematurely	Clinical Process Measure	Emergency Admissions - admitted to HDU/ITU	This indicator measures the effectiveness of the care pathway for a patient admitted as an emergency.	Proportion of patients admitted to HDU/TU following an emergency admission with decompensated cirrhosis of the liver	Of those in the denominator, the number admitted to HDU/ITU at any point during their admission		Quarterly	Quarterly	HES	HES	Lower is better	Include direct admissions to HDU/ITU and any transfers to HDU/ITU once admitted Denominator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 28, 2D Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A	Apr 21 - Jun 21	Jul 21 - Sep 20	Oct 21 - Dec 21	Jan 22 - Mar 22	
CIRRO2	Domain 1: Preventing people from dying prematurely	Clinical Outcome Measure	In-hospital mortality - decompensated cirrhosis of the liver	This indicator measures in hospital care following emergency admission.	In-hospital mortality, following emergency admission with decompensated cirrhosis of the liver	Of those in the denominator, the number where the method of discharge is 'died'	The total number of discharges in the reporting period following an emergency admission with decompensated cirrhosis of the liver	Quarterly	Quarterly	HES	HES	Lower is better	Numerator note: Method of discharge: 4  Denominator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 2B, 2D  Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A	Apr 21 - Jun 21	Jul 21 - Sep 20		Jan 22 - Mar 22	
CIRRO3	Domain 1: Preventing people from dying prematurely	Clinical Outcome Measure	In-hospital mortality within 30 days - decompensated cirrhosis of the liver	This indicator measures the effectiveness of the care pathway for a patient admitted as an emergency. Early intervention with evidence-based treatments for patients with the complications of cirrhosis can save lives.	In-hospital mortality within 30 days following emergency admission with decompensated cirrhosis of the liver		The total number of patients admitted as an emergency with decompensated cirrhosis of the liver in the reporting period	Quarterly	Quarterly	HES	HES	Lower is better	Numerator note: Discharge code - 4 Denominator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 28, 2D Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A		Jul 21 - Sep 20	Oct 21 - Dec 21		
CIRRO4	Domain 3: Helping people to recover from episodes of ill health or following injury		Length of stay	This indicator measures the effectiveness of the care pathway for a patient admitted as an emergency. Early intervention with evidence-based treatments for patients with the complications of cirrhosis can save lives.	Mean length of stay (in days) for emergency admissions with decompensated cirrhosis of the liver	For those patients in the denominator, the total duration of stay (in days) from date of admission to date of discharge	The total number of patients admitted as an emergency with decompensated cirrhosis of the liver in the reporting period	Quarterly	Quarterly	HES	HES	Lower is better	Denominator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 2B, 2D Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A		Jul 21 - Sep 20	Oct 21 - Dec 21	Jan 22 - Mar 22	
CIRRO5	Domain 1: Preventing people from dying prematurely	Clinical Outcome Measure	In-hospital mortality - variceal haemorrhage	This indicator measures the effectiveness of the care pathway for a patient admitted as an emergency.	In-hospital mortality within 30 days following emergency admission for variceal haemorrhage	Of those in the denominator, the number who died in hospital within 30 days of admission	The total number of patients with decompensated cirrhosis of the liver admitted with variceal haemorrhage in the reporting period	Quarterly	Quarterly	HES	HES	Lower is better	Numerator note: Discharge code - 4  Denominator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 28, 2D  Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendices A and B	Apr 21 - Jun 21	Jul 21 - Sep 20	Oct 21 - Dec 21	Jan 22 - Mar 22	
CIRRO6	Domain 3: Helping people to recover from episodes of ill health or following injury	Clinical Process Measure	Patients readmitted to emergency	This indicator measures the effectiveness of care received by patients admitted as an emergency with decompensated liver disease.	Emergency readmissions within 30 days of discharge from an emergency admission for decompensated fiver disease	of those in the denominator, the number readmitted with decompensated cirrhosis as an emergency within 30 days of discharge		Rolling Annual	Quarterly	HES	HES	Lower is better	Numerator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 2B, 2D Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A  Denominator notes: Emergency admission codes: 21, 22, 23, 24, 25, 28, 2A, 2B, 2D Discharge codes: 12, 22 Discharge codes: 12 Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A		Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21- Mar 22	
CIRRO7	Domain 1: Preventing people from dying prematurely	Clinical Process Measure	Emergency admissions - admitted to HDU/ITU - variceal haemorrhage	This indicator measures the effectiveness of the care pathway for a patient admitted as an emergency.	Proportion of patients admitted to HDU/ITU following an emergency admission with a variceal haemorrhage	Of those in the denominator, the number admitted to HDU/ITU at any point during their admission		Rolling Annual	Quarterly	HES	HES	Lower is better	Include direct admissions to HDU/ITU and any transfers to HDU/ITU once admitted Denominator notes: Emergency Admission codes: 21, 22, 23, 24, 25, 28, 2A, 28, 2D Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix B	Jun 21	Oct 20 - Sep 21		Apr 21- Mar 22	
CIRRO8	Domain 1: Preventing people from dying prematurely	Clinical Outcome Measure	Emergency Admissions - paracentesis	The best way to manage ascites with paracentesis is through day-case admission.	Proportion of patients with decompensated cirrhosis of the liver admitted as an emergency for paracentesis	Of those in the denominator, the number admitted as an emergency	The total number of patients with decompensated cirrhosis of the liver admitted for paracentesis in the reporting period	Rolling Annual	Quarterly	HES	HES	Lower is better	Numerator notes: Emergency Admission codes: 21, 22, 23, 24, 25, 28, 2A, 2B, 2D Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A Procedure (DrCS) Code – Primary or Secondary: T461 Denominator notes: Include all admission codes Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A Procedure (OPCS) Code – Primary or Secondary: T461		Oct 20 - Sep 21	Jan 21 - Dec 21	Apr 21- Mar 22	

																Reportin	ng Periods	
Indicator Reference Number	Domain	Theme	Measure	Rationale	Name of Indicator / Description	Numerator	Denominator	Period Type	Frequency	Data Source Numerator	Data Source Denominator	Target	Interpretation Guidance	Notes	Q1	Q2	Q3	Q4
CIRRO9	Domain 1: Preventing	Clinical Process		This indicator measures the proportion of patients admitted as an emergency		Of those in the denominator, the number seen by a specialist consultant	The total number of patients admitted as an emergency with decompensated		Quarterly	HES	HES		Higher is better	Numerator notes: Treatment function code: 301 (Gastroenterology), 306			Jan 21 - Dec 21	
	people from dying	Measure		seen by a specialist consultant	disease seen by a specialist consultant (Hepatologist/ Gastroenterologist)	(Hepatologist/ Gastroenterologist)	liver disease in the reporting period							(Hepatology)				
	prematurely			(Hepatologist/ Gastroenterologist) as a measure of the service pathway and recommended following the NCEPOD										Denominator notes: Emergency Admission codes: 21, 22, 23, 24, 25, 28, 2A, 2B, 2D				
				report 2013.										Diagnosis (ICD10) Codes – Primary or Secondary: Please refer to Appendix A				

Data collection has been approved by the Review of Central Returns - ROCR ROCR/OR/2230/001MAND

## Hepatobiliary and Pancreas - Cirrhosis of the Liver (Ac

ICD10 Code	Group	Description
B150	Acute hepatitis A	Hepatitis A with hepatic coma
B159	Acute hepatitis A	Hepatitis A without hepatic coma
B160	Acute hepatitis B	Acute hepatitis B with delta-agent (coinfection) with hepatic coma
B161	Acute hepatitis B	Acute hepatitis B with delta-agent (coinfection) without hepatic coma
B162	Acute hepatitis B	Acute hepatitis B without delta-agent with hepatic coma
B169	Acute hepatitis B	Acute hepatitis B without delta-agent and without hepatic coma
B170	Other acute viral hepatitis	Acute delta-(super)infection of hepatitis B carrier
B171	Other acute viral hepatitis	Acute hepatitis C
B172	Other acute viral hepatitis	Acute hepatitis E
B178	Other acute viral hepatitis	Other specified acute viral hepatitis
B179	Other acute viral hepatitis	Acute viral hepatitis, unspecified
B180	Chronic viral hepatitis	Chronic viral hepatitis B with delta-agent
B181	Chronic viral hepatitis	Chronic viral hepatitis B without delta-agent
B182	Chronic viral hepatitis	Chronic viral hepatitis C
B188	Chronic viral hepatitis	Other chronic viral hepatitis
B189	Chronic viral hepatitis	Chronic viral hepatitis, unspecified
B190	Unspecified viral hepatitis	Unspecified viral hepatitis with hepatic coma
B199	Unspecified viral hepatitis	Unspecified viral hepatitis without hepatic coma
K700	Alcoholic liver disease	Alcoholic fatty liver
K701	Alcoholic liver disease	Alcoholic hepatitis
K702	Alcoholic liver disease	Alcoholic fibrosis and sclerosis of liver
K703	Alcoholic liver disease	Alcoholic cirrhosis of liver
K704	Alcoholic liver disease	Alcoholic hepatic failure
K709	Alcoholic liver disease	Alcoholic liver disease, unspecified
K710	Toxic liver disease	Toxic liver disease with cholestasis
K711	Toxic liver disease	Toxic liver disease with hepatic necrosis
K712	Toxic liver disease	Toxic liver disease with acute hepatitis
K713	Toxic liver disease	Toxic liver disease with chronic persistent hepatitis
K714	Toxic liver disease	Toxic liver disease with chronic lobular hepatitis
K715	Toxic liver disease	Toxic liver disease with chronic active hepatitis
K716	Toxic liver disease	Toxic liver disease with hepatitis, not elsewhere classified
K717	Toxic liver disease	Toxic liver disease with fibrosis and cirrhosis of liver
K718	Toxic liver disease	Toxic liver disease with other disorders of liver
K719	Toxic liver disease	Toxic liver disease, unspecified
K720	Hepatic failure, not elsewhere classified	Acute and subacute hepatic failure
K721	Hepatic failure, not elsewhere classified	Chronic hepatic failure
K729	Hepatic failure, not elsewhere classified	Hepatic failure, unspecified
K730	Chronic hepatitis, not elsewhere classified	Chronic persistent hepatitis, not elsewhere classified

## Hepatobiliary and Pancreas - Cirrhosis of the Liver (Ac

K731	Chronic hepatitis, not elsewhere classified	Chronic lobular hepatitis, not elsewhere classified
K732	Chronic hepatitis, not elsewhere classified	Chronic active hepatitis, not elsewhere classified
K738	Chronic hepatitis, not elsewhere classified	Other chronic hepatitis, not elsewhere classified
K739	Chronic hepatitis, not elsewhere classified	Chronic hepatitis, unspecified
K740	Fibrosis and cirrhosis of liver	Hepatic fibrosis
K741	Fibrosis and cirrhosis of liver	Hepatic sclerosis
K742	Fibrosis and cirrhosis of liver	Hepatic fibrosis with hepatic sclerosis
K743	Fibrosis and cirrhosis of liver	Primary biliary cirrhosis
K744	Fibrosis and cirrhosis of liver	Secondary biliary cirrhosis
K745	Fibrosis and cirrhosis of liver	Biliary cirrhosis, unspecified
K746	Fibrosis and cirrhosis of liver	Other and unspecified cirrhosis of liver
K750	Other inflammatory liver diseases	Abscess of liver
K751	Other inflammatory liver diseases	Phlebitis of portal vein
K752	Other inflammatory liver diseases	Nonspecific reactive hepatitis
K753	Other inflammatory liver diseases	Granulomatous hepatitis, not elsewhere classified
K754	Other inflammatory liver diseases	Autoimmune hepatitis
K758	Other inflammatory liver diseases	Other specified inflammatory liver diseases
K759	Other inflammatory liver diseases	Inflammatory liver disease, unspecified
K760	Other diseases of liver	Fatty (change of) liver, not elsewhere classified
K761	Other diseases of liver	Chronic passive congestion of liver
K762	Other diseases of liver	Central haemorrhagic necrosis of liver
K763	Other diseases of liver	Infarction of liver
K764	Other diseases of liver	Peliosis hepatis
K765	Other diseases of liver	Hepatic veno-occlusive disease
K766	Other diseases of liver	Portal hypertension
K767	Other diseases of liver	Hepatorenal syndrome
K768	Other diseases of liver	Other specified diseases of liver
K769	Other diseases of liver	Liver disease, unspecified
K770	Liver disorders in diseases classified elsewhere	Liver disorders in infectious and parasitic diseases classified elsewhere
K778	Liver disorders in diseases classified elsewhere	Liver disorders in other diseases classified elsewhere

Apr 21 - Ju Jul 21 - Se

Apr 21 - Ju Jul 21 - Se

Apr 21 - Ju Jul 21 - Sej

Apr 21 - Ju Jul 21 - Sej

Apr 21 - Ju Jul 21 - Sej

Jul 20 - Jur Oct 20 - Se

Jul 20 - Jur Oct 20 - Se

Jul 20 - Jur Oct 20 - Se

... 20 14. 001 20 0

Jul 20 - Jur Oct 20 - Se

Oct 21 - De Jan 22 - Mar 22

Oct 21 - De Jan 22 - Mar 22

Oct 21 - De Jan 22 - Mar 22

Oct 21 - De Jan 22 - Mar 22

Oct 21 - De Jan 22 - Mar 22

Jan 21 - De Apr 21- Mar 22

## Hepatobiliary and Pancreas - Cirrhosis of the Liver

ICD10 Code	Group	Description
1820	Other venous embolism and thrombosis	Budd-Chiari syndrome
1821	Other venous embolism and thrombosis	Thrombophlebitis migrans
1822	Other venous embolism and thrombosis	Embolism and thrombosis of vena cava
1823	Other venous embolism and thrombosis	Embolism and thrombosis of renal vein
1828	Other venous embolism and thrombosis	Embolism and thrombosis of other specified veins
1829	Other venous embolism and thrombosis	Embolism and thrombosis of unspecified vein
1850	Oesophageal varices	Oesophageal varices with bleeding
1859	Oesophageal varices	Oesophageal varices without bleeding